

Rotary Joint

3000-T2 Series



Media Type

Water + General Purpose



Max. Speed

750 - 3500 RPM



Max. Pressure

50 BAR



Max. Temperature

90 °C



Connection Type

**BSPP, BSPT, NPT, FL,
Metric**



Rotor Size

1/4" DN08 - 4" DN100




Rotary Joint for water & general purpose

- ✓ Dual flow
- ✓ Balanced mechanical sealing
- ✓ Forged brass housing
- ✓ Silicon carbide sealing components
- ✓ Stainless steel shaft and inner parts
- ✓ Threaded, Qr & flanged connection



Do not operate without fluid.

DIMENSIONS



SIZE	B	J	MODEL NO	A	C	DØ	I	I 2	E	F	K	K I	GØ	H	H 2	N	U	LØ	S	T	OØ	KG
15	1/2" NPT	3/8" NPT	3050-036-106D	1/2" NPT - RH	3/8" NPT	57	121	151	19	34	1/4" BSPP	120	13	81,50	39,50	25,00	26				8,5 (2x180°)	1,25
15	1/2" NPT	3/8" NPT	3050-036-107D	1/2" NPT - LH	3/8" NPT	57	121	151	19	34	1/4" BSPP	120	13	81,50	39,50	25,00	26				8,5 (2x180°)	1,25
15	1/2" NPT	3/8" NPT	3050-036-100D	Ø24	3/8" NPT	57	121	151		34	1/4" BSPP	120	13	83,50	39,50	25,00		22	6	11	8,5 (2x180°)	1,25
15	1/2" BSP	3/8" BSP	3050-336-206D	1/2" BSP - RH	3/8" BSP	57	121	151	19	34	1/4" BSPP	120	13	81,50	39,50	25,00	26				8,5 (2x180°)	1,25
15	1/2" BSP	3/8" BSP	3050-336-207D	1/2" BSP - LH	3/8" BSP	57	121	151	19	34	1/4" BSPP	120	13	81,50	39,50	25,00	26				8,5 (2x180°)	1,25
15	1/2" BSP	3/8" BSP	3050-336-100D	Ø24	3/8" BSP	57	121	151		34	1/4" BSPP	120	13	83,50	39,50	25,00		22	6	11	8,5 (2x180°)	1,25
20	3/4" NPT	3/8" NPT	3075-036-108D	3/4" NPT - RH	1/2" NPT	67	136,50	171,50	19	36	1/4" BSPP	133,70	17,50	91,50	47,50	30	30				8,5 (2x180°)	1,85
20	3/4" NPT	3/8" NPT	3075-036-109D	3/4" NPT - LH	1/2" NPT	67	136,50	171,50	19	36	1/4" BSPP	133,70	17,50	91,50	47,50	30	30				8,5 (2x180°)	1,85
20	3/4" NPT	3/8" NPT	3075-036-100D	Ø30	1/2" NPT	67	136,50	171,50		36	1/4" BSPP	133,70	17,50	91,50	47,50	30		28	8	14	8,5 (2x180°)	1,85
20	3/4" BSP	3/8" BSP	3075-336-208D	3/4" BSP - RH	1/2" BSP	67	136,50	171,50	19	36	1/4" BSPP	133,70	17,50	88,50	47,50	30	30				8,5 (2x180°)	1,85
20	3/4" BSP	3/8" BSP	3075-336-209D	3/4" BSP - LH	1/2" BSP	67	136,50	171,50	19	36	1/4" BSPP	133,70	17,50	91,50	47,50	30	30				8,5 (2x180°)	1,85
20	3/4" BSP	3/8" BSP	3075-336-100D	Ø30	1/2" BSP	67	136,50	171,50		36	1/4" BSPP	133,70	17,50	88,50	47,50	30		28	8	14	8,5 (2x180°)	1,85
25	1" NPT	1/2" NPT	3100-036-110D	1" NPT - RH	3/4" NPT	73	158	200	22	44	3/8" BSPP	159	25	103,50	58,50	34,50	36				8,5 (2x180°)	2,40
25	1" NPT	1/2" NPT	3100-036-111D	1" NPT - LH	3/4" NPT	73	158	200	22	44	3/8" BSPP	159	25	103,50	58,50	34,50	36				8,5 (2x180°)	2,40
25	1" NPT	1/2" NPT	3100-036-100D	Ø35	3/4" NPT	73	158	200		44	3/8" BSPP	159	25	103,50	58,50	34,50		33	8	14	8,5 (2x180°)	2,40
25	1" BSP	1/2" BSP	3100-336-210D	1" BSP - RH	3/4" BSP	73	158	200	22	44	3/8" BSPP	159	25	103,50	58,50	34,50	36				8,5 (2x180°)	2,40
25	1" BSP	1/2" BSP	3100-336-211D	1" BSP - LH	3/4" BSP	73	158	200	22	44	3/8" BSPP	159	25	103,50	58,50	34,50	36				8,5 (2x180°)	2,40
25	1" BSP	1/2" BSP	3100-336-100D	Ø35	3/4" BSP	73	158	200		44	3/8" BSPP	159	25	103,50	58,50	34,50		33	8	14	8,5 (2x180°)	2,40
32	1 1/4" NPT	3/4" NPT	3125-036-112D	1 1/4" NPT - RH	1" NPT	87	192	235,50	28	52	1/2" BSPP	192	32	123	69	36,50	46				8,5 (2x180°)	4,05
32	1 1/4" NPT	3/4" NPT	3125-036-113D	1 1/4" NPT - LH	1" NPT	87	192	235,50	28	52	1/2" BSPP	192	32	123	69	36,50	46				8,5 (2x180°)	4,05
32	1 1/4" NPT	3/4" NPT	3125-036-100D	Ø45	1" NPT	87	192	235,50		52	1/2" BSPP	192	32	129	69	36,50		43	8	14	8,5 (2x180°)	4,05
32	1 1/4" BSP	3/4" BSP	3125-336-212D	1 1/4" BSP - RH	1" BSP	87	192	235,50	28	52	1/2" BSPP	192	32	123	69	36,50	46				8,5 (2x180°)	4,05
32	1 1/4" BSP	3/4" BSP	3125-336-213D	1 1/4" BSP - LH	1" BSP	87	192	235,50	28	52	1/2" BSPP	192	32	123	69	36,50	46				8,5 (2x180°)	4,05
32	1 1/4" BSP	3/4" BSP	3125-336-100D	Ø45	1" BSP	87	192	235,50		52	1/2" BSPP	192	32	129	69	36,50		43	8	14	8,5 (2x180°)	4,05
40	1 1/2" NPT	3/4" NPT	3150-036-114D	1 1/2" NPT - RH	1 1/4" NPT	102	225	279	30	70	3/4" BSPP	228	38	153	72	43	55				8,5 (2x180°)	6
40	1 1/2" NPT	3/4" NPT	3150-036-115D	1 1/2" NPT - LH	1 1/4" NPT	102	225	279	30	70	3/4" BSPP	228	38	153	72	43	55				8,5 (2x180°)	6
40	1 1/2" NPT	3/4" NPT	3150-036-100D	Ø50	1 1/4" NPT	102	225	279		70	3/4" BSPP	228	38	156	72	43		48	10	17	8,5 (2x180°)	6
40	1 1/2" BSP	3/4" BSP	3150-336-214D	1 1/2" BSP - RH	1 1/4" BSP	102	225	279	30	70	3/4" BSPP	228	38	153	72	43	55				8,5 (2x180°)	6
40	1 1/2" BSP	3/4" BSP	3150-336-215D	1 1/2" BSP - LH	1 1/4" BSP	102	225	279	30	70	3/4" BSPP	228	38	153	72	43	55				8,5 (2x180°)	6
40	1 1/2" BSP	3/4" BSP	3150-336-100D	Ø50	1 1/4" BSP	102	225	279		70	3/4" BSPP	228	38	156	72	43		48	10	17	8,5 (2x180°)	6
50	2" NPT	1" NPT	3200-036-116D	2" NPT - RH	1 1/2" NPT	115	249	306	30	64	1" BSPP	306	48	164	87,50	46,50	60				8,5 (2x180°)	8,15

50	2" NPT	1" NPT	3200-036-117D	2" NPT - LH	1 1/2" NPT	115	249	306	30	64	1" BSPP	306	48	164	87,50	46,50	60				8,5 (2x180°)	8,15
50	2" NPT	1" NPT	3200-036-100D	Ø65	1 1/2" NPT	115	249	306		64	1" BSPP	306	48	164	87,50	46,50		63	10	17	8,5 (2x180°)	8,15
50	2" BSP	1" BSP	3200-336-216D	2" BSP - RH	1 1/2" BSP	115	249	306	30	64	1" BSPP	306	48	164	87,50	46,50	60				8,5 (2x180°)	8,15
50	2" BSP	1" BSP	3200-336-217D	2" BSP - LH	1 1/2" BSP	115	249	306	30	64	1" BSPP	306	48	164	87,50	46,50	60				8,5 (2x180°)	8,15
50	2" BSP	1" BSP	3200-336-100D	Ø65	1 1/2" BSP	115	249	306		64	1" BSPP	306	48	164	87,50	46,50		63	10	17	8,5 (2x180°)	8,15
65	1 1/2" NPT		3250-036-118D	2 1/2" NPT - RH	2 1/2" NPT	149	287	311	38	80	1 1/2" BSPP	287	60,50	204		63	88				10 (2x180°)	17,50
65	1 1/2" NPT		3250-036-119D	2 1/2" NPT - LH	2 1/2" NPT	149	287	311	38	80	1 1/2" BSPP	287	60,50	204		63	88				10 (2x180°)	17,50
65	1 1/2" NPT		3250-036-100D	Ø85	2 1/2" NPT	149	287	311		80	1 1/2" BSPP	287	60,50	215		63					10 (2x180°)	17,50
65	1 1/2" BSP		3250-336-218D	2 1/2" BSP - RH	2 1/2" BSP	149	287	311	38	80	1 1/2" BSPP	287	60,50	204		63	88				10 (2x180°)	17,50
65	1 1/2" BSP		3250-336-219D	2 1/2" BSP - LH	2 1/2" BSP	149	287	311	38	80	1 1/2" BSPP	287	60,50	204		63	88				10 (2x180°)	17,50
65	1 1/2" BSP		3250-336-100D	Ø85	2 1/2" BSP	149	287	311		80	1 1/2" BSPP	287	60,50	215		63					10 (2x180°)	17,50
80	2" NPT		3300-036-120D	3" NPT - RH	3" NPT	169	317	349	44	89	2" BSPP	320	73	223		77	100				14 (2x180°)	24,60
80	2" NPT		3300-036-121D	3" NPT - LH	3" NPT	169	317	349	44	89	2" BSPP	320	73	223		77	100				14 (2x180°)	24,60
80	2" NPT		3300-036-100D	Ø105	3" NPT	169	317	349		89	2" BSPP	320	73	235		77		102	12	20	14 (2x180°)	24,60
80	2" BSP		3300-336-220D	3" BSP - RH	3" BSP	169	317	349	44	89	2" BSPP	320	73	223		77	100				14 (2x180°)	24,60
80	2" BSP		3300-336-221D	3" BSP - LH	3" BSP	169	317	349	44	89	2" BSPP	320	73	223		77	100				14 (2x180°)	24,60
80	2" BSP		3300-336-100D	Ø105	3" BSP	169	317	349		89	2" BSPP	320	73	235		77		102	12	20	14 (2x180°)	24,60
100	2" NPT		3300-036-120D	4" NPT - RH	4" NPT	209	379	416	45	115	2 1/2" BSPP	384	96	273		90	122				14 (2x180°)	33,25
100	2" NPT		3300-036-121D	4" NPT - LH	4" NPT	209	379	416	45	115	2 1/2" BSPP	384	96	273		90	122				14 (2x180°)	33,25
100	2" NPT		3300-036-100D	Ø114	4" NPT	209	379	416		115	2 1/2" BSPP	384	96	252		90		110	30	36	14 (2x180°)	33,25
100	2" BSP		3300-336-220D	4" BSP - RH	4" BSP	209	379	416	45	115	2 1/2" BSPP	384	96	273		90	122				14 (2x180°)	33,25
100	2" BSP		3300-336-221D	4" BSP - LH	4" BSP	209	379	416	45	115	2 1/2" BSPP	384	96	273		90	122				14 (2x180°)	33,25
100	2" BSP		3300-336-100D	Ø114	4" BSP	209	379	416		115	2 1/2" BSPP	384	96	252		90		110	30	36	14 (2x180°)	33,25